

Mixing Instructions

Client **East Africa**
 With **KLC 20**
 Intended for **Indigenous/Dual-Purpose - Laying prod.**
 Batch weight **1.000 kg**



Version:	27-8-2019		EAfrica.201 Starter	EAfrica.202 Grower	EAfrica.203 Developer	EAfrica.204 Prelay	EAfrica.205 Layer	EAfrica.206 Layer 2
Code	Ingredient	Unit (kg)	0-6 wks	7-12 wks	13-17 wks	17 wks-5% prod	5% prod-40 wks	>40 wks
969564	KLC 20 + Caro		250	200	180	200	200	200
C02627	MAIZE 8,5%CP		400	455	480	535	550	530
C02673	WHEAT BRAN		30	35	220	160	65	70
C02778	LIMESTONES		15	15	20	55	85	100
KN660C	MAIZEBRAN		150	250	100	50	100	100
KN691C	FF TOASTED SOYBEANS		150	40				
KN788	DICALPHOS 18,5P/26CA		5	5				
	Total		1.000	1.000	1.000	1.000	1.000	1.000

CALCULATED ANALYSIS

001	Crude Protein	%	22,0	17,2	16,2	16,1	15,3	15,2
002	Crude Fat	%	7,0	6,1	4,7	4,2	4,4	4,4
003	Crude Fibre	%	4,2	3,8	4,4	3,9	3,3	3,3
098	ME Poultry	Kcal	2857	2800	2704	2699	2684	2626
016	Total lysin	%	1,22	0,88	0,79	0,81	0,77	0,77
017	Total Methionin	%	0,53	0,44	0,40	0,41	0,41	0,40
019	Total Methionin + Cystin	%	0,91	0,75	0,70	0,71	0,69	0,68
020	Total Treonin	%	0,83	0,64	0,59	0,59	0,57	0,56
048	Calcium	%	0,93	0,86	0,88	2,06	3,06	3,56
049	Total Phosphor	%	0,57	0,50	0,53	0,50	0,42	0,42
052	Sodium	%	0,19	0,15	0,14	0,15	0,15	0,15
050	Chloride	%	0,32	0,27	0,25	0,27	0,26	0,26
999	Essential vitamins & trace minerals	IU/kg	Added	Added	Added	Added	Added	Added

Note: Mixing directions can change depending on the price and quality of local available raw materials.

For the best results; start with the Koudijs Galdus 2mm pre-starter (minimum 150 gram/bird total, preferably more).

Important remarks:

- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Always make sure all birds have access to enough feed.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- For more management related issues, ask for the Koudijs Management Guide.
- Make sure birds always have access to fresh, cool and clean water.

V09_05

Factory mixing instructions									
Client		East Africa							
With		KLC 20							
Intended for Kuroiler / Sasso Laying prod.									
Batch weight		1.000 kg							
Version:		27-8-2019							
Code	Ingredient	Unit (kg)		EAfrica.201 Starter	EAfrica.202 Grower	EAfrica.203 Developer	EAfrica.204 Prelay	EAfrica.205 Layer	EAfrica.206 Layer 2
		0-6 wks	7-12 wks	13-17 wks	17 wks-5% prod	5% prod-40 wks	>40 wks		
969564	KLC 20 + Caro	250	200	180	200	200	200	200	200
C02627	MAIZE 8.5%CP	400	455	480	535	550	530	530	530
C02673	WHEAT BRAN	30	35	220	160	65	70	70	70
C02778	LIMESTONES	15	15	20	55	85	100	100	100
KN660C	MAIZEBRAN	150	250	100	50	100	100	100	100
KN691C	FF TOASTED SOYBEANS	150	40						
KN788	DICALPHOS 18.5P/26CA	5	5						
Total		1000	1000	1000	1000	1000	1000	1000	1000



