

Mixing Instructions

With **KLC 10 (code: 969502)**
 Country **Tanzania**
 Specie **Layers**
 Batch weight **1,000 kg**

Optimal



Version: 8/7/2020

Code	Ingredient	Unit (kg)	20,310	20,410	20,510	20,610	20710
			Developer	Pre-layer	Pre Peak	Layer 1	Layer 2
			13-17 weeks	18-19 weeks (til 5% production)	20-28 weeks	29-45 weeks	46 weeks - End
969502	KLC 10		100	100	100	100	100
KN627C	MAIZE		560	600	620	625	620
KN699	SOYBEANMEAL 46CP		50	70	70	100	80
KN673-1C	WHEAT BRAN		270	165	115	50	75
KN778C	LIMESTONES 30% CA		20	60	90	115	120
KN768	SOYBEAN OIL			5	5	10	5
	Total		1000	1000	1000	1000	1000

CALCULATED ANALYSIS

001	Crude Protein	%	14.9	14.6	14.1	14.5	13.9
002	Crude Fat	%	4.2	4.5	4.4	4.8	4.3
003	Crude Fibre	%	5.3	4.3	3.8	3.3	3.5
089	Dry matter	%	88.0	88.5	88.8	89.2	89.2
004	Ash	%	5.9	9.4	12.1	14.5	14.9
012	ME Layer	Kcal	2790	2820	2800	2810	2740
011	ME Poultry	Kcal	2750	2770	2740	2750	2690
1750	Digestible Lysine	%	0.69	0.70	0.68	0.72	0.68
1768	Digestible Methion + Cystin	%	0.61	0.60	0.59	0.60	0.58
1753	Digestible Treonin	%	0.45	0.46	0.44	0.47	0.45
016	Total lysin	%	0.77	0.77	0.74	0.79	0.75
019	Total Methionin + Cystin	%	0.67	0.66	0.64	0.64	0.63
020	Total Treonin	%	0.55	0.55	0.53	0.55	0.53
048	Calcium	%	0.95	2.15	3.04	3.80	3.94
049	Total Phosphor	%	0.58	0.52	0.48	0.45	0.45
145	Digestible Phosphor	%	0.33	0.32	0.31	0.30	0.30
052	Sodium	%	0.15	0.15	0.15	0.15	0.15
050	Chloride	%	0.22	0.22	0.22	0.21	0.21
ZC	Coccidiostat		Not Added	Not Added	Not Added	Not Added	Not Added
999	Essential vitamins & trace minerals		Added	Added	Added	Added	Added

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- In case of no oil; replace the oil with corn. Note that FCR is likely to increase.
- Always make sure all birds have access to enough feed.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- Make sure birds always have access to fresh, cool and clean water.
- In case of management related issues, ask for the Koudijs Management Guide.

V10_02

Mixing Instructions

With

Country

Specie

Batch weight

KLC 10 (code: 969502)

Tanzania

Layers

1,000 kg

Version: 8/7/2020

Optimal

20310

Developer

13-17 weeks

20410

Pre-layer

18-19 weeks
(til 5% production)

20510

Pre Peak

20-28 weeks

20610

Layer 1

29-45 weeks

20710

Layer 2

46 weeks - End

Unit (kg)

100

560

50

270

20

1000

100

600

70

165

60

5

1000

100

620

100

625

100

50

115

90

5

1000

100

620

80

75

120

10

5

1000

969502 KLC 10

KN627C MAIZE

KN699 SOYBEANMEAL 46CP

KN673-1C WHEAT BRAN

KN778C LIMESTONES 30% CA

KN768 SOYBEAN OIL

Total

koudijs